

Inglenook Fireplace



High-efficiency heating in a versatile, zero-clearance design that adds comfort and elegance to your home.

 **Country Flame**[®]
by American Energy Systems Inc.



Shown above with black doors and brushed nickel grilles

INGLENOOK FIREPLACE

The natural wood-burning fireplace that can heat the whole house.

An Inglenook® fireplace brings your home warmth and style, plus the advantage of ducting hot air to other rooms, even upstairs. With this design, you can now take full advantage of the most cost-efficient way to heat your home. Our optional duct system allows the Inglenook to heat adjacent rooms by natural convection, for enhanced comfort throughout the house.

The Inglenook offers an efficient, clean burn and a high BTU output unmatched in the industry. Operation is easy, with our multi-function, single-lever control allowing maximum non-catalytic combustion efficiency. The passive internal airflow system helps keep the glass doors clean.

Safety is a standard feature. The Inglenook fireplace has been independently tested to UL standards and has been documented to meet or exceed all safety codes.



The Inglenook features your choice of door finishes: black, gold, or brushed nickel.




Shown above with brushed nickel doors and grilles

The Inglenook's zero-clearance design allows your installer to create the fireplace you've always wanted, with accent finishes such as brick, tile, or stone, during home construction or as part of a remodeling project.

One of the best features is the Inglenook's elegant look, which you can modify with your choice of 24-carat gold plated or brushed nickel doors and grilles, or a more traditional black cast option. You may also mix and match to create a custom appearance.

For details about all the options, as well as information about installation and operation, contact your authorized Country Flame dealer.

- ① *Damper rod provides convenient draft and combustion control.*
- ② *Fire screen allows option of keeping doors open while maintaining safety.*
- ③ *High-temperature ceramic windows.*



Special features

- High-output natural convection heating
- Deep firebox holds 18"-24" wood
- Large firebox size, 4.1 cu/ft without log retainer
- Large 612 sq/in glass view
- Removable ash pan
- Stone and brick retainer kit

High-tech features

- Zero-clearance installation
- Stay-clean glass system
- Advanced secondary combustion system
- Multiple ducting options
- Mobile home approved

Efficiency


- 69,500 BTUs (EPA rating)
- EPA efficiency rating: 72%

Safety / Environmental


- Uses 100% outside combustion air
- EPA certified, non-catalytic
- Meets Washington State emissions standards
- Emissions: 4.4 gr/hr
- 8" Chimney (air-cooled or ASHT 103-2100)
- Only one 4" outside air intake required
- Tested by Warnock Hershey Inc. in accordance with UL-127-1999 and ULC-S610-98

Optional


- Dual hot-air duct kit
- Lock-in fire screen
- Door and grille finishes (Black, 24K Gold, Brushed Nickel)



Fireplace Dimensions



Framing Dimensions



*Chimney outlet centered 10" from fireplace back. Consult manual for minimum mantel heights and proper outside air duct configuration.

Country Flame[®]
by American Energy Systems Inc.

150 Michigan St. S.E., Hutchinson, MN 55350
Phone: (800) 495-3196 Fax: (320) 587-8872
information@magnumheat.com
www.countryflame.com

