



Mosaic Masonry™ Wood & Gas Fireplaces

Welcome Home To Warmth

True Masonry



Design

Spacious

Beauty

A Real Masonry Fireplace Without The Mason

For Centuries, a traditional masonry fireplace has been the focal point of the home. And over the years, creative new designs and features have enhanced both form and function of the hearth.


Fireplace manufacturers instinctively compare their fireplaces to traditional, masonry wood burners. But only one manufactured fireplace line can really call itself "Masonry".

Vantage Hearth's patented Mosaic Masonry™ features real firebrick finished interiors, with no visible sheet metal for the authentic richness and beauty of a custom, site-built masonry fireplace.


All Mosaic Masonry™ fireplaces come with either Ivory or Red brick in "Stacked" or "Herringbone" patterns.



Red Full "Stacked" Brick



Ivory Full "Herringbone" Brick



Mosaic Masonry™ made simple. All new pre-engineered firebrick system features steel reinforced, factory-built and grouted masonry walls that easily slip into place and securely fasten to the steel fireplace chassis.

Contents

The Story Of Mosaic Masonry	3
Wood Burning Indoor Fireplaces	4
Wood Burning Outdoor Fireplaces	5
Vent-Free Indoor/Outdoor Fireplaces	6
Mosaic Masonry Accessories	7
Product Dimensions	8

The Story of Mosaic Masonry™

Vantage Hearth's Mosaic Masonry™ technology is a dramatic development that will change the way you think about the fireplace. This technology combines traditional appearance and traditional materials with modern assembly techniques to create a fireplace that is unparalleled in its beauty and value.

Two trends related to today's homes make our patent-pending Mosaic Masonry™ technology significant. First, homeowners want distinctive, high quality products in their home. Surveys of top home builders and buyers alike confirm that homeowners are paying more attention to the details in their homes, and are looking for choices and selections to make their homes more attractive, more distinctive, more valuable. Secondly, people also want convenience. We all want home products that are easy to install, and are easy to operate. The Mosaic Masonry™ technology does both these things.

There are two types of fireplaces on the market today: One, a masonry fireplace, is built brick-by-brick by a skilled mason. These are the oldest fireplaces, and considered the aesthetic standard for all fireplaces. The second type of fireplace is a prefabricated fireplace, with factory-built components that are available at a fraction of the cost of a regular masonry fireplace. These fireplaces are tested and certified to established safety standards, and are available in both gas and wood burning models.

The Mosaic Masonry™ technology uniquely combines that quality appearance of a masonry fireplace with the installation convenience and more reasonable cost of a factory-built fireplace.



Monticello: Monticello model is 48" wide and has a tall 42" opening. The hearth is only 1 1/2" above the ground for a flush floor finish. The Monticello uses a smaller brick "splits" in its Mosaic Masonry™ in a custom herringbone pattern for an even richer look.



Mosaic Masonry™ Indoor Wood Burning Fireplaces include handsome, hand-finished solid steel log grates with cast iron grate andirons.

Mosaic Masonry™ Wood & Gas Fireplaces

Wood Burning Indoor Product Features

- Real firebrick lining for utmost beauty and durability
- Winston Series sizes: 36", 42", 50"
- Monticello Series size: 48"
- Tested and listed to tough UL design standards
- Choice of "stacked" or "herringbone" brick patterns (Monticello herringbone only)
- Choice of ivory or red brick colors
- Winston Series: 30" opening and clean face design
- Monticello Series: 42" opening and clean face design
- Gas line knock-out for installing gas logs or log lighter



Winston: This Mosaic Masonry™ Wood Burning Fireplace has been constructed and equipped with red herringbone brick.



VF48HR: 48" Monticello Wood Burning Fireplace with Red Split Herringbone Brick

VGM42HR: 42" Winston Wood Burning Fireplace with Red Full Herringbone Brick

Wood Burning Indoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VGM36HIA	36" Winston Smooth Faced Wood Burning Fireplace with Ivory Herringbone Brick	520.0 lbs.
VGM36HRA	36" Winston Smooth Faced Wood Burning Fireplace with Red Herringbone Brick	520.0 lbs.
VGM36SIA	36" Winston Smooth Faced Wood Burning Fireplace with Ivory Stacked Brick	520.0 lbs.
VGM36SRA	36" Winston Smooth Faced Wood Burning Fireplace with Red Stacked Brick	520.0 lbs.
VGM42HIA	42" Winston Smooth Faced Wood Burning Fireplace with Ivory Herringbone Brick	679.0 lbs.
VGM42HRA	42" Winston Smooth Faced Wood Burning Fireplace with Red Herringbone Brick	679.0 lbs.
VGM42SIA	42" Winston Smooth Faced Wood Burning Fireplace with Ivory Stacked Brick	679.0 lbs.
VGM42SRA	42" Winston Smooth Faced Wood Burning Fireplace with Red Stacked Brick	679.0 lbs.
VGM50HIA	50" Winston Smooth Faced Wood Burning Fireplace with Ivory Herringbone Brick	696.0 lbs.
VGM50HRA	50" Winston Smooth Faced Wood Burning Fireplace with Red Herringbone Brick	696.0 lbs.
VGM50SIA	50" Winston Smooth Faced Wood Burning Fireplace with Ivory Stacked Brick	696.0 lbs.
VGM50SRA	50" Winston Smooth Faced Wood Burning Fireplace with Red Stacked Brick	696.0 lbs.
VF48HIA	48" Monticello Smooth Faced Wood Burning Fireplace with Ivory Split Herringbone Brick	696.0 lbs.
VF48HRA	48" Monticello Smooth Faced Wood Burning Fireplace with Red Split Herringbone Brick	696.0 lbs.

Wood Burning Outdoor Product Features

- Real firebrick lining for utmost beauty and durability
- Oracle Series sizes: 36", 42", 50"
- Tested and listed to tough UL design standards
- Choice of "stacked" or "herringbone" brick patterns
- Choice of ivory or red brick colors
- Oracle Series: 30" opening and clean face design
- Specially designed stainless steel models for outdoor applications
- Gas line knock-out for installing gas logs or log lighter



Oracle: This Mosaic Masonry® Wood Burning Fireplace has been constructed and equipped with stainless steel components for outdoor applications.

VJM36SI: 36" Oracle Outdoor Wood Burning Fireplace with Ivory Full Stacked Brick

Wood Burning Outdoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VJM36HIA	36" Oracle Outdoor Masonry Fireplace with Ivory Herringbone Brick	520.0 lbs.
VJM36HRA	36" Oracle Outdoor Masonry Fireplace with Red Herringbone Brick	520.0 lbs.
VJM36SIA	36" Oracle Outdoor Masonry Fireplace with Ivory Stacked Brick	520.0 lbs.
VJM36SRA	36" Oracle Outdoor Masonry Fireplace with Red Stacked Brick	520.0 lbs.
VJM42HIA	42" Oracle Outdoor Masonry Fireplace with Ivory Herringbone Brick	679.0 lbs.
VJM42HRA	42" Oracle Outdoor Masonry Fireplace with Red Herringbone Brick	679.0 lbs.
VJM42SIA	42" Oracle Outdoor Masonry Fireplace with Ivory Stacked Brick	679.0 lbs.
VJM42SRA	42" Oracle Outdoor Masonry Fireplace with Red Stacked Brick	679.0 lbs.
VJM50HIA	50" Oracle Outdoor Masonry Fireplace with Ivory Herringbone Brick	696.0 lbs.
VJM50HRA	50" Oracle Outdoor Masonry Fireplace with Red Herringbone Brick	696.0 lbs.
VJM50SIA	50" Oracle Outdoor Masonry Fireplace with Ivory Stacked Brick	696.0 lbs.
VJM50SRA	50" Oracle Outdoor Masonry Fireplace with Red Stacked Brick	696.0 lbs.

Vent-Free Indoor/Outdoor Product Features

- Real firebrick lining for utmost beauty and durability
- Choice of “stacked” or “herringbone” brick patterns
- Choice of ivory or red brick colors
- Tested and listed to ANSI standards
- Marquee & Sagamore Series sizes: 36”, 42”, 50”
- Marquee & Sagamore Series: 30” opening and clean face design
- Specially designed stainless steel models for outdoor applications
- Gas line knock-out for installing gas logs or log lighter
- Pair with a Vantage Hearth Vent-Free Gas Log Set



VGC24: Mixed Oak Vent-Free Gas Log Set

Vent-Free Indoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VUM36HIA	36” Marquee Vent-Free Fireplace with Ivory Herringbone Brick	520.0 lbs.
VUM36HRA	36” Marquee Vent-Free Fireplace with Red Herringbone Brick	520.0 lbs.
VUM36SIA	36” Marquee Vent-Free Fireplace with Ivory Stacked Brick	520.0 lbs.
VUM36SRA	36” Marquee Vent-Free Fireplace with Red Stacked Brick	520.0 lbs.
VUM42HIA	42” Marquee Vent-Free Fireplace with Ivory Herringbone Brick	679.0 lbs.
VUM42HRA	42” Marquee Vent-Free Fireplace with Red Herringbone Brick	679.0 lbs.
VUM42SIA	42” Marquee Vent-Free Fireplace with Ivory Stacked Brick	679.0 lbs.
VUM42SRA	42” Marquee Vent-Free Fireplace with Red Stacked Brick	679.0 lbs.
VUM50HIA	50” Marquee Vent-Free Fireplace with Ivory Herringbone Brick	696.0 lbs.
VUM50HRA	50” Marquee Vent-Free Fireplace with Red Herringbone Brick	696.0 lbs.
VUM50SIA	50” Marquee Vent-Free Fireplace with Ivory Stacked Brick	696.0 lbs.
VUM50SRA	50” Marquee Vent-Free Fireplace with Red Stacked Brick	696.0 lbs.

Vent-Free Outdoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VQM36HIA	36” Sagamore Outdoor Vent-Free Fireplace with Ivory Herringbone Brick	520.0 lbs.
VQM36HRA	36” Sagamore Outdoor Vent-Free Fireplace with Red Herringbone Brick	520.0 lbs.
VQM36SIA	36” Sagamore Outdoor Vent-Free Fireplace with Ivory Stacked Brick	520.0 lbs.
VQM36SRA	36” Sagamore Outdoor Vent-Free Fireplace with Red Stacked Brick	520.0 lbs.
VQM42HIA	42” Sagamore Outdoor Vent-Free Fireplace with Ivory Herringbone Brick	679.0 lbs.
VQM42HRA	42” Sagamore Outdoor Vent-Free Fireplace with Red Herringbone Brick	679.0 lbs.
VQM42SIA	42” Sagamore Outdoor Vent-Free Fireplace with Ivory Stacked Brick	679.0 lbs.
VQM42SRA	42” Sagamore Outdoor Vent-Free Fireplace with Red Stacked Brick	679.0 lbs.
VQM50HIA	50” Sagamore Outdoor Vent-Free Fireplace with Ivory Herringbone Brick	696.0 lbs.
VQM50HRA	50” Sagamore Outdoor Vent-Free Fireplace with Red Herringbone Brick	696.0 lbs.
VQM50SIA	50” Sagamore Outdoor Vent-Free Fireplace with Ivory Stacked Brick	696.0 lbs.
VQM50SRA	50” Sagamore Outdoor Vent-Free Fireplace with Red Stacked Brick	696.0 lbs.

Accessories

The Mosaic Masonry technology can be applied to other uses as well. Vantage Hearth offers a complementary “Wood Nook” for storing firewood. The Wood Nook uses the same metal housing and firebrick as our fireplaces. There are two styles of Wood Nooks available.

Other Accessories Include:

- Gas logs
- Bi-fold glass doors in three finishes: ebony, pewter and oiled bronze
- Outside combustion air kit




Wood Nook: A “Wood Nook” uses the same Mosaic Masonry™ Technology as the fireplace.

The Round Top Wood Nook



Bi-fold Glass Doors



Premium Masonry Accessories (For Use With Wood Burning Fireplaces Only)

MODEL NO	DESCRIPTION	SHIPPING WT.
DHR-24	24" Round Top Wood Nook with Red Stacked Masonry Brick	430.0 lbs.
DHR-24I	24" Round Top Wood Nook with Ivory Stacked Masonry Brick	430.0 lbs.
DHS-36	36" Under Hearth Wood Nook with Red Stacked Masonry Brick	330.0 lbs.
DHS-36I	36" Under Hearth Wood Nook with Ivory Stacked Masonry Brick	330.0 lbs.
DHS-42	42" Under Hearth Wood Nook with Red Stacked Masonry Brick	385.0 lbs.
DHS-42I	42" Under Hearth Wood Nook with Ivory Stacked Masonry Brick	385.0 lbs.
DHS-50	50" Under Hearth Wood Nook with Red Stacked Masonry Brick	445.0 lbs.
DHS-50I	50" Under Hearth Wood Nook with Ivory Stacked Masonry Brick	445.0 lbs.
HS48	48" Combustible Floor Protective Hearth Spacer (For Use with VF48H)	145.0 lbs.
AL48	48" Masonry Ash Lip Brick Kit (For Use with VF48HR) - Red	20.0 lbs.
AL48I	48" Masonry Ash Lip Brick Kit (For Use with VF48HI) - Ivory	20.0 lbs.
BDM36E	36" Bi-Fold Door with Frame - Ebony	18.0 lbs.
BDM36G	36" Bi-Fold Door with Frame - Pewter	18.0 lbs.
BDM36C	36" Bi-Fold Door with Frame - Oiled Bronze	18.0 lbs.
BDM42E	42" Bi-Fold Door with Frame - Ebony	20.0 lbs.
BDM42G	42" Bi-Fold Door with Frame - Pewter	20.0 lbs.
BDM42C	42" Bi-Fold Door with Frame - Oiled Bronze	20.0 lbs.
BDM50E	50" Bi-Fold Door with Frame - Ebony	25.0 lbs.
BDM50G	50" Bi-Fold Door with Frame - Pewter	25.0 lbs.
BDM50C	50" Bi-Fold Door with Frame - Oiled Bronze	25.0 lbs.
BDMO48E	48" Ceramic Glass Bi-Fold Door - Ebony	35.5 lbs.
BDMO48G	48" Ceramic Glass Bi-Fold Door - Pewter	35.5 lbs.
BDMO48C	48" Ceramic Glass Bi-Fold Door - Oiled Bronze	35.5 lbs.
BDMO36E	36" Indoor / Outdoor Bi-Fold Door Kit - Ebony	18.0 lbs.
BDMO36G	36" Indoor / Outdoor Bi-Fold Door Kit - Pewter	18.0 lbs.
BDMO36C	36" Indoor / Outdoor Bi-Fold Door Kit - Oiled Bronze	18.0 lbs.
BDMO42E	42" Indoor / Outdoor Bi-Fold Door Kit - Ebony	20.0 lbs.
BDMO42G	42" Indoor / Outdoor Bi-Fold Door Kit - Pewter	20.0 lbs.
BDMO42C	42" Indoor / Outdoor Bi-Fold Door Kit - Oiled Bronze	20.0 lbs.
BDMO50E	50" Indoor / Outdoor Bi-Fold Door Kit - Ebony	25.0 lbs.
BDMO50G	50" Indoor / Outdoor Bi-Fold Door Kit - Pewter	25.0 lbs.
BDMO50C	50" Indoor / Outdoor Bi-Fold Door Kit - Oiled Bronze	25.0 lbs.



36"
Winston Woodburning Fireplace
with Red Full Herringbone Brick



48"
Monticello Woodburning Fireplace
with Red Herringbone Split Brick



50"
Oracle Outdoor Woodburning
Fireplace with Ivory Full Stacked
Brick*



36"
Marquee Vent-Free Fireplace
with Ivory Full Herringbone Brick



42"
Sagamore Outdoor Vent-Free
Fireplace with Ivory Full Herringbone Brick*

Fireplace Dimensions

MODEL NO	A	B	C	D	X	Y	Z
VGM36/VJM36	36	45	29 1/8	26 1/2	30	49	66 1/4
VGM42/VJM42	42	51	30 1/2	29	30	49	67
VGM50/VJM50	50	59	38 1/2	29	30	49	67
VUM36/VQM36	36	45	29 1/8	26 1/2	30	49	66 1/4
VUM42/VQM42	42	51	30 1/2	29	30	49	67
VUM50/VQM50	50	59	38 1/2	29	30	49	67
VF48H	48	60 5/8	42 1/4	30	42	65 3/4	71 1/2

Wood Nook Dimensions

MODEL NO	A	B	C	D	X	Y	Z
DHR-24	24 7/8	30 1/8	30 1/8	28 7/8	29	33	34
DHS-36	36	45	45	26 7/8	13 3/8	16 1/2	16 1/2
DHS-42	42	51	51	26 7/8	13 3/8	16 1/2	16 1/2
DHS-50	50	59	59	26 7/8	13 3/8	16 1/2	16 1/2

Note: All measurements are in inches. Dimensions on this catalog are approximate.
For accurate dimensions, refer to the installation instructions.


Vantage Hearth™
by FMI PRODUCTS, LLC



Fmi
FMI PRODUCTS, LLC

Look For Us Online:
www.fmiproducts.com

*Outdoor models include stainless steel facings. Outdoor
Woodburning models also include a stainless steel grate.



ICC-ES Evaluation Report

ESR-2542



IMPORTANT

Installation must be done by qualified service persons. Read owners manual before using. Check local codes and ordinances for permitted uses. We reserve the right to amend product specifications without notice. The only warranty we offer is our standard warranty. Please read the warranty for any limitations or disclaimers.