



heatilator®

The first name in fireplaces



Caliber Series

Direct Vent Gas Fireplaces

Create an inviting place where the best moments begin.

The big, bold and comfy Caliber gas fireplace makes it possible. Gather 'round dancing flames in an expansive hearth that puts out generous heat. Even run your fireplace by smart speaker or your phone. With on-trend styling choices to fit your look, it will be your favorite spot in the home.

Outfit your Caliber with a choice of brick interiors or reflective black glass to go with Oak hand-painted logs. Want less heat or to enjoy the fireplace ambiance year-round? Our heat-management options keep the comfort level just right. Upgrade to the premium Caliber X for even more fireside presence, plus a fan if you have a larger space to warm up.





Product Features

- Up to 44,000 BTUs to warm medium to larger spaces
- Available in 36" and 42" widths, offering two models with added features and upgrades
- IntelliFire Touch Ignition System™: control with the Intellifire app, smart speaker, touchscreen remote or wireless wall switch
- Heat Management puts the heat where you want it, when you want it
- Four interior panel options with three decorative front designs give a vast array of styling options for any home
- Variable speed fan disperses heat throughout the room; standard on Caliber X
- Dynamic Thermostat adjusts flames with rising temps to maintain comfort level

Features Comparison	CaliberX	Caliber
Widths	36" & 42"	36" & 42"
Decorative Fronts & Finishes	7	7
Electronic Ignition	✓	✓
Smart Home Capable	✓	✓
Heat Management ready	✓	✓
Touchscreen Remote w/ Dynamic Thermostat	✓	★
Variable Speed Fan	✓	★
LED Back Lighting	✓	N/A

* Optional

- Cover: Caliber 42X shown with Weathered Brick interior panels and Bronze Cambree front
- Page 2: Caliber 36X shown with Steely Gray interior panels, Bronze Cauldron front and Crosby mantel shelf
- Above: Caliber 42 shown with reflective Black Glass interior panels and Cauldron front in Black
- Inside: Caliber 36 shown with Weathered Brick interior panels and Black Cali front


Fronts



CALI available in Black



CAULDRON with ClearVue mesh, available in Black, Gun Metal and New Bronze



CAMBREE with ClearVue mesh, available in Black, Gun Metal and New Bronze

Front Finishes

BLACK

GUN METAL

NEW BRONZE

Interior Panels



WEATHERED BRICK



STEELY GRAY



REFLECTIVE BLACK GLASS



MATTE BLACK GLASS





Controls

IntelliFire App

All the features of a remote control with an app installed on your smart device. Monitor your fire from anywhere or even control it with the sound of your voice. IntelliFire is compatible with voice assistants Amazon Alexa and Google Assistant.



Touchscreen Remote

Features: on/off, flame height adjustment, fan speed, lights adjustment, thermostat mode, room temperature readout, child lock, timer mode, battery backup, cold climate mode, power vent, wall docking station (fan, lights and power vent are dependent on your fireplace).



Wireless Wall Switch

Features: on/off, battery strength indicator, cold climate mode



Heat Management Technologies

Passive Heat™ Disperse heat naturally (no fan) into the room, lowering surface temperatures so you can place a TV or artwork just 12" above the fireplace. Choose side, front or open-wall registers.



Side Register




Front Register



Open-wall Register

Heat-Zone® Technology

Draw heat from your fireplace to another room in your home. Redirect up to 50% of the heat, while reducing wall temperatures above the fireplace.



Heat Out Technology

Draw heat from your fireplace and direct it outside. Redirect up to 40% of the heat while reducing wall temperatures above the fireplace.



Key Technologies


IntelliFire Touch® Technology IntelliFire Touch is our most advanced intermittent-pilot ignition (IPI) system, making running your appliance simple, smart and safe. Utilize the included touch screen remote control or add the IntelliFire® app for the solution that fits your lifestyle.

Direct Vent Technology Direct vent fireplaces remove 100% of combustion exhaust and odors from your space. These sealed fireplaces provide optimal heat, conserve energy and ensure clean indoor air quality.


Caliber & CaliberX Specifications

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA (E X F)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	
• Caliber 36 • CaliberX 36	41" (1041mm)	42" (1067mm)	28-3/8" (721mm)	42" (1067mm)	40-7/8" (1038mm)	40-1/8" (1019mm)	21-7/16" (545mm)	22" (559mm)	34-1/4" X 24-3/4" (870mm X 629mm)
• Caliber 42 • CaliberX 42	48-1/16" (1221mm)	49" (1245mm)	35-3/8" (899mm)	49" (1245mm)	42-7/8" (1089mm)	42-1/8" (1070mm)	21-7/16" (545mm)	22" (559mm)	41-1/4" X 26-11/16" (1048mm X 678mm)


LEFT VIEW




FRONT VIEW



RIGHT VIEW



TOP VIEW



Dimensions are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. NOTE: Combustible material should not cover the face. Refer to installation manual for detailed specifications on installing this product. Hearth & Home Technologies® reserves the right to update units periodically. Actual product appearance, including flame, may differ from product images.

BTUs

	NG	LP		NG	LP
Caliber 36	16,000 - 30,000	17,000 - 28,000	Caliber 42	19,000 - 35,000	17,000 - 34,000
CaliberX 36	22,000 - 40,000	21,000 - 40,000	CaliberX 42	23,000 - 44,000	23,000 - 44,000



Learn More

Efficiencies

EnerGuide (CSA P.4.1-15) Ratings used in Canada and some U.S. states to measure annual fireplace efficiency.

	NG	LP		NG	LP
Caliber 36	58%	59%	Caliber 42	63%	60%
CaliberX 36	64%	64%	CaliberX 42	57%	58%

Available from

heatilator
The first name in fireplaces

800-927-6841 | heatilator.com

HTL-1111U-0923

Limited Lifetime Warranty

The strongest in the industry, Heatilator provides a limited lifetime warranty on gas-burning products of the most important aspects: firebox and heat exchanger. For full warranty details go to heatilator.com.

The information provided in this literature is for planning purposes only and subject to change. Please consult the installation manual for actual installation. Actual product appearance may differ from product images.

Google, YouTube and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

